

## PRODUCT BROCHURE

## BeeVision 400

Automatic Label Application System

Print & Apply with Label Applicator



Apply labels onto bags, envelopes and parcels of different heights.

Compherensive turnkey solution **BeeVision 400** effortlessly combines tasks like measuring, weighing, barcode reading, image capture in addition to label application into a unified system



## **FEATURES**

- 10x15mm recommended label size
- Higher throughput with multiple printer head support up-to 3000-4500 pph
- Compatible for variable label sizes according to needs
- Thermal label support
- Ability to print any type defined with seamless API integration
- Ability to apply labels onto bags, envelopes and parcels of different heights
- BeeHive Warehouse Automation Software to collect, display and download labeling data from web
- Plug & Play: No external hardware or software required
- BeeVision 400 integrates with measuring devices to automate label application process

## **TECHNICAL SPECIFICATIONS**

Energy, Network and Air Requirements

22kW 380V Power Cable
3.5kW 220V Power Cable
1 CAT6 Ethernet Cable for Internet Access
1.1m³/min 8hp Air Source/Compressor

Attachable Label Roll Specifications

Throughput

Inner Diameter : 8cm
Outer Diameter : 30cm

12mm label width - 1500 labels per hour with each printer

15mm label width - 1200 labels per hour with each printer

18mm label width - 1000 labels per hour with each printer

2 Printers Total:

12mm - 3000 labels per hour

12mm - 2400 labels per hour

18mm - 2000 labels per hour

Maximum Power Consumption

2 kW

